




Zwaste Ball

An effective enzyme ball formulated specifically for sewers, drains and grease traps to break down Fat, Oil and Grease (FOG) - thereby reducing blockage and unpleasant odour.






Zwaste Ball Works !

Fat, Oil and Grease (FOGs) is very often discharged into grease traps via drainage and sewer. FOG build up is usually the cause of blockage in pipings and main culprit of unpleasant odour in grease traps.

With **Zwaste Ball**, FOG are being treated in an environmentally-friendly way, without the utilization of harsh chemicals which are harmful to our ailing Mother Earth.

Our powerful **Zwaste Ball** enables slow release concoction of various super catalytic enzymes, which are capable of breaking down fat, oil and grease into water and carbon dioxide.

Other benefits include increase in hygiene level and inhibition of pest growth.





BEFORE TREATMENT

- Grease layer built up
- Unpleasant smell



WITHIN 1 WEEK

- Grease layer reduced
- Smell level decreased



AFTER 2 WEEKS

- Grease layer significantly reduced
- Smell level greatly reduced

FEATURES AND BENEFITS

1

Efficient, cost effective, economical and affordable enzyme ball to break down Fat, Oil and Grease.

2

Made from 100% organic materials, chemical-free and non-toxic.

3

No desludging necessary, prevents bad rancid odour.

4

Eliminate unpleasant odour thereby less pests and vermins.

5

Simple application and notable result observed within a week.

6

Prevent grease build up or block drain pipe which in turn save costs on plumbing.

TECHNICAL SPECIFICATIONS

Weight	: 35 gm (\pm 5 gm)
Thickness	: 22 mm
Width	: 45 mm
Form	: Natural cocktail of powder
Colour	: Mild Yellow Brown (natural rice bran extract color)
Odour	: Rice bran smell
Storage	: Storage in dry area, keep material dry and keep out of direct sunlight
Handling	: Wash hands after handling, as well as any other affected skin areas

DOSAGE GUIDELINE

Drop the **Zwaste Ball** directly into the second compartment of the grease trap or drain pipes where grease had accumulated and stir it.

Dosage frequency: Weekly

For grease trap size below 100 Litre:

Light FOGs condition = **1 Zwaste Ball** per week

Heavy FOGs condition = **2 Zwaste Ball** per week

For bigger size grease trap, the dosage quantity need to adjust accordingly.

** On-site fine tuning of dosage quantity and frequency may be required to treat deferring kitchen discharge.*



towards a zero waste nation



ZERO WASTE SOLUTION PTE LTD

Blk 5014 Ang Mo Kio Avenue 5 #06-01/04

Tech Place II Singapore 569881

Tel. (65) 6570 0500

E. info@zero-waste.biz

W. www.zero-waste.biz